

MCM

Multi Construction Machines

**VOL
2**

2018/2019



ATTACHMENTS CATALOGUE

COMPACT LOADERS

CL30

CL40

CL50


THE FUTURE IS BUILT

INDEX

No.	NAME	No.	NAME
1	STANDARD BUCKET	32	SAND SPREADER
2	LEVELLER BUCKET	33	LAWN MOWER
3	GRAPPLE BUCKET	34	SQUARE LAWN MOWER
4	4 IN 1 BUCKET	35	ROTARTY MOWER
5	SNOW BUCKET	36	CUTTING BAR A
6	HIGH TIP BUCKET	37	CUTTING BAR B
7	STONE BUCKET	38	HEDGE TRIMMER
8	PALLET FORK A	39	POT GRABBER
9	PALLET FORK B	40	ROOTBALL GRABBER
10	COLLAPSIBLE PALLET FORK	41	SOD EXTENDER.
11	HYDRAULIC ADJUSTABLE PALLET FORK	42	NURSERY FORK
12	GRAPPLE FORKLIFT	43	TREE SPADE
13	BIG BAG MOVER	44	LEVELLER
14	HAY FORK	45	TELESCOPIC EXTENSTION BOOM
15	MANURE FORK	46	JIB BOOM
16	BALE FORK	47	LOG GRABBER
17	SILAGE BALE FORK	48	HARLEY RAKE
18	SILAGE BUCKET GRAPPLE	49	TILLER
19	AUGER	50	LOG SPLITTER
20	TRENCHER	51	POLE GRABBER
21	TRENCH BACKFILLER	52	BALE GRABBER A
22	MINI DIGGER	53	BALE GRABBER B
23	EXCAVATOR	54	RIPPER BAR
24	CONCRETE MIXER	55	FRONT TRAILER HOOK PLATE
25	HYDRAULIC HAMMER	56	EURO VIII QUICK COUPLING ADAPTER
26	POST HAMMER	57	BOBCAT QUICK COUPLING ADAPTER
27	DOZER/SNOW BLADE	58	ROTARY SAW
28	V-SNOW BLADE	59	TRAILER
29	OPEN SWEEPER	60	HIGH PRESSURE WASHER
30	CLOSED SWEEPER	61	Auger Bucket (Side Dumping Concrete Mixer)
31	SNOW BLOWER		

***The pictures and content in this document are for reference purposes only.**

1. Standard Bucket



Model	SB2000	SB4000	SB5000
Length	600mm	750mm	750mm
Width	1020mm	1265mm	1516mm
Height	500mm	500mm	500mm
Capacity	0.25m ³	0.35m ³	0.65m ³
Weight	110Kgs	140Kgs	187Kgs
Compatible	CL30	CL40	CL50

2. Leveler bucket



Model	LB2000	LB4000
Width	1400mm	1600mm
Capacity	0.25m ³	0.30m ³
Weight	170Kgs	190Kgs
Compatible	CL30/CL40	CL50

3. Grapple Bucket



Model	GB2000	GB4000	GB5000
Length	750mm	750mm	750mm
Width	1035mm	1265mm	1515mm
Height	630mm	630mm	630mm/(840mm)
Capacity	0.30m ³	0.40m ³	0.55m ³
Weight	180Kg	210Kg	250Kg
Compatible	CL30	CL40	CL50

4. Four in one Bucket



Model	FB2000	FB4000	FB5000
Length	1040mm	1260mm	1530mm
Width	890mm	890mm	890mm
Height	658mm	658mm	658mm
Open Distance	500mm	500mm	500mm
Capacity	0.2m ³	0.25 m ³	0.35 m ³
Weight	210Kgs	240Kgs	280Kgs
Compatible	CL30	CL40	CL50

5. Snow Bucket



Model	SNB2000	SNB3000	SNB5000
Length	720mm	720mm	720mm
Width	1265mm	1510mm	1810mm
Height	760mm	760mm	760mm
Capacity	0.5CBM	0.65CBM	0.8CBM
Weight	150KG	180KG	220KG
Compatible	CL30	CL40	CL50

6. High Tip Bucket



Model	HTB4000
Width	1500mm
Weight	400kg
Compatible	CL40/CL50

7. Stone Bucket



Model	STB2000	STB5000
Length	1105mm	1505mm
Width	620mm	800mm
Height	400mm	480mm
Weight (With/Without Teeth)	135kg/120kg	220kg/205kg
Bucket Capacity	0.2CBM	0.4CBM
Compatible	CL30	CL40/CL50

8. Pallet Fork A



Model	FLA2000	FLA4000
Length	1065mm	1196mm
Width	974mm	974mm
Height	540mm	540mm
Max. Adjust Distance	790mm	790mm
Min. Adjust Distance	120mm	120mm
Weight	118Kg	150Kg
Compatible	CL30	CL40/CL50

9.Pallet Fork B



Model	FLB2000	FLB4000
Length	1065mm	1196mm
Width	1100mm	1100mm
Height	965mm	965mm
Max. Adjust Distance	790mm	790mm
Min. Adjust Distance	120mm	120mm
Weight	138Kg	162Kg
Compatible	CL30	CL40/CL50

10.Collapsible Pallet Fork



Model	CLA2000	CLA4000
Length	1065mm	1196mm
Width	974mm	974mm
Height	540mm	540mm
Max. Adjust Distance	790mm	790mm
Min. Adjust Distance	120mm	120mm
Weight	118Kg	150Kg
Compatible	CL30	CL40/CL50

11. Hydraulic Adjustable Pallet Fork



Model	HAF4000	HAF5000
Length	1200mm	1400mm
Width	1065mm	1230mm
Height	900mm	920mm
Weight	200kg	299kg
Compatible	CL30/CL40	CL50

12. Grapple Forklift



Model	GF2000	GF4000
Length	1065mm	1196mm
Width	974mm	974mm
Height	700mm	700mm
Max. Adjust Distance	790mm	790mm
Min. Adjust Distance	120mm	120mm
Weight	190Kg	215Kg
Compatible	CL30	CL40/CL50

13. Big Bag Mover




Model	BM1000
Length	665mm
Width	1145mm
Height	1475mm
Weight	68Kg
Compatible	CL30/CL40/CL50

14. Hay Fork



Model	HF2000	HF4000
Length	650mm	780mm
Width	1000mm	1200mm
Height	656mm	656mm
Weight	150kg	192Kg
Compatible	CL30	CL40/CL50

15.Manure Fork



Model	MF4000	MF5000
Length	1200mm	1500mm
Width	800mm	800mm
Height	635mm	635mm
Weight	160kg	230kg
Compatible	CL30/CL40	CL50

16.Bale Fork



Model	BF2000
Overall Length	1230mm
Overall Width	1500mm
Overall Height	640mm
Weight	115kg
Compatible	CL30/CL40/CL50

17. Silage Bale Fork

Model	SBF2000
Overall Length	1200mm
Overall Width	700mm
Overall Height	1200mm
Weight	77Kg
Compatible	CL30/CL40/CL50

18. Silage Bucket Grapple

Model	SBG4000	SBG5000
Overall Length	1230mm	1830mm
Overall Width	750mm	900mm
Overall Height	700mm	800mm
Working Width	1200mm	1800mm
Weight	215kg	376kg
Compatible	CL30/CL40	CL50

19. Auger

Model	AG4000
Total Length	400mm
Total Width	570mm
Total Height (Without Auger Bit)	550mm
Weight (Without Auger Bit)	90Kg
Compatible	CL30/CL40/CL50

*Standard auger bits' length is **1200mm**, please confirm with us if any different requests.




AG4000

*Optional Auger Bits Diameters:

- 1) 200mm Bit
- 2) 300mm Bit
- 3) 400mm Bit
- 4) 600mm Bit

20. Trencher



Model	TR2000	TR4000	TR5000
Total Length	1500mm	1700mm	1950mm
Total Width	900mm	900mm	900mm
Total Height	670mm	670mm	670mm
Working Width	200mm	200mm	200mm
Working Depth	800mm	1000mm	1200mm
Suggested Working Angle	65°	65°	65°
Weight	220Kg	239Kg	280Kg
Compatible	CL30	CL40	CL50

21. Trench Backfiller**Model****TBF2000**

Length

600mm

Width

1450mm

Height

540mm

Working width

1100mm

Weight

228Kg

Compatible**CL30/CL40/CL50****22. Mini Digger****Model****MD4000**

Dimension (LxWxH)

1760mmx800mmx650mm

Width of Bucket

330mm

Bucket Capacity

0.04 m³

Digging Depth

1360mm

Weight

159Kg

Compatible**CL30/CL40/CL50**

23. Excavator



EX2000



EX4000

Model	EX2000	EX4000
Min. Width of the Supporting Leg	1000mm	1530mm
Working Width of the Supporting Leg	1000mm	2000mm
Max. Digging Depth	1260mm	2170mm
Max. Working Height	1550mm	3100mm
Loading Height	1370mm	1730mm
Stand Bucket Capacity	0.015CBM	0.04CBM
Weight	285kg	667kg
Compatible	CL30	CL40/CL50

24. Concrete Mixer



CM1000



CM2000

Model	CM1000	CM2000
Length	1080mm	1150mm
Width	1000mm	1010mm
Height	1160mm	1000mm
Tank Capacity	0.1CBM	0.2CBM
Mixing Speed	9~40 r/min	9~40 r/min
Max. Working Pressure	18Mpa	18Mpa
Weight	186kg	229kg
Compatible	CL30	CL30/CL40/CL50

25. Hydraulic Hammer




Model	HY1000	HY2000
Total Length	1290mm	1160mm
Working Pressure	90-120bar	80-100bar
Oil Flow	15-25L/min	20-35L/min
Strike Frequency	700-1200Bpm	650-1200Bpm
Rod Diameter	45mm	45mm
Operating Weight	147KG	260KG
Compatible	CL30	CL40/CL50

26. Post Hammer



Model	PH1000
Operating Weight	175KG
Total Length	1290mm
Working Pressure	90-120bar
Oil Flow	15-25L/min
Strike Frequency	700-1200Bpm
Compatible	CL30/CL40/CL50

27. Dozer/Snow Blade



Model	DB4000
Control Type	Hydraulic Adjust
Length	1440mm
Width	800mm
Height	500mm
Max. Turning Angle	±22°
Width at Max. Turning Angle	1100mm
Working Pressure	19 Mpa
Weight	179Kg
Compatible	CL30/CL40/CL50

28.V-Snow Blade



Model	VSB4000	VSB6000
Total Length	1750mm	2300mm
Total Width	610mm	610mm
Total Height	600mm	665mm
Working Width with Cylinder fully Out	900mm	1050mm
Working Width with Cylinder fully In	550mm	650mm
Weight	245kg	325kg
Compatible	CL30/CL40	CL50

29.Open Sweeper



Model	OS4000
Weight	320kg
Working Width	1400mm
Total Width	1810mm
Brush Diameter	660mm
Working Width at 30°	1250mm
Working Pressure	18MPa
Compatible	CL30/CL40/CL50



Model	CS2000	CS4000	CS5000
Weight	268kg	311kg	433kg
Working Width	1000mm	1200mm	1500mm
Total Width	1280mm	1480mm	1800mm
Brush Diameter	500mm	500mm	660mm
Working Pressure	18MPa	18Mpa	18MPa
Compatible	CL30	CL40	CL50

31. Snow Blower



Model	SBR2000	SBR4000
Working Width	1030mm	1520mm
Total Length	1060mm	998mm
Total Width	1030mm	1550mm
Total Height	1060mm	1250mm
Weight	265kg	340kg
Compatible	CL30	CL40/CL50

32.Sand Spreader



Model	SS4000
Length	1200mm
Width	800mm
Height	620mm
Weight	230kg
Capacity	0.3 CBM
Compatible	CL40/CL50

33.Lawn Mover



Model	LM2000
Overall Dimensions (L* W * H)	1260*1600*530mm
Weight	260kg
Cutting Width	1500mm
Cutting Height	25mm-100mm
Blade Quantity	3
Compatible	CL30/CL40/CL50

34. Square Lawn Mower

Model	SLM5000
Length	1850mm
Width	1670mm
Height	650mm
Weight	385kg
Compatible	CL30/CL40/CL50

35. Rotary Mower


Model	RM5000
Weight	230KGS
Width	1550mm
Y blade	42 PCS
Compatible	CL30/CL40/CL50

36. Cutting Bar A



Model	CBA2000
Weight	140Kg
Dimension (LxWxH)	2300x50x1000mm
Cutting Width	1500mm
Cutting Height	60~80mm
Compatible	CL30/CL40/CL50

37. Cutting Bar B



Model	CBB2000
Weight	100Kg
Dimension (LxWxH)	900x1760x400mm
Cutting Width	1600mm
Cutting Height	60~80mm
Compatible	CL30/CL40/CL50

38.Hedge Trimmer



Model	HT2000
Weight	263Kg
Dimension (LxWxH Retracted)	800x2960x600mm
Dimension (LxWxH Extended)	800x3560x600mm
Cutting Width	1800mm
Compatible	CL30/CL40/CL50

39. Pot Grabber




Model	PG1000
Weight	200Kg
Compatible	CL30/CL40/CL50


40.Rootball Grabber



Model	RG1000
Weight	188Kg
Compatible	CL30/CL40/CL50

41.Sod Extender

Model	SX2000
Length	1266+450mm
Width	1024mm
Height	400mm
Max. Open Distance	1340mm
Weight	185Kg
Compatible	CL30/CL40/CL50

42.Nursery Fork

Model	NF1000
Height	400mm
Length	1710mm
Width	1024mm
Weight	182Kg
Compatible	CL30/CL40/CL50

43.Tree Spade



Model	TS5000
Dimension (LxWxH)	1656x1596x1870mm
Weight	825kg
Digging Depth	738mm
Working Pressure	12-21Mpa
Working Flow	20-65L/min
Suitable Tree Diameter	0-100mm
Compatible	CL30/CL40/CL50

44.Leveler



Model	L2000
Overall length	1200mm
Overall width	1220mm
Overall height	350mm
Weight	140kg
Compatible	CL30/CL40/CL50

45. Telescopic Extension Boom



Model	TEB2000
Overall Length	1340mm
Overall Width	550mm
Overall Height	350mm
Max Extension Length	2000mm
Weight	129kg
Compatible	CL30/CL40/CL50

46. Jib Boom



Model	JM4000	JM5000
Overall Length	1300mm	1500mm
Overall Width	550mm	550mm
Overall Height	360mm	360mm
Weight	50KGS	60KGS
Compatible	CL30/CL40	CL50

47. Log Grabber

Model	LG3000
Overall Length	1200mm
Overall Width	850mm
Overall Height	800mm
Biggest Open Distance	1180mm
Weight	220kg
Compatible	CL40/CL50

48. Harley Rake

Model	HR5000
Overall Dimension (LxWxH)	1830x1300x550mm
Working Width	1500mm
Teeth Length	45mm
Teeth Diameter	36mm
Weight	320kg
Motor Displacement	160 cc/r
Compatible	CL30/CL40/CL50

49. Tiller



Model	T2000	T5000
Overall Dimension (LxWxH)	1450x800x650mm	1850x800x650mm
Working Width	1100mm	1500mm
Max Working Depth	150mm	150mm
Number of Blades	22	30
Motor Displacement	130cc/r	160cc/r
Compatible	CL30	CL40/CL50

50. Log Splitter



Model	LS2000	LS4000
Overall Length	2150mm	2250mm
Overall Width	1250mm	1250mm
Overall Height	900mm	1000mm
Splitting Length	600mm	650mm
Splitting Diameter	300mm	400mm
Wedge Type	2 Way Wedge	4 Way Wedge
Hydraulic Log Lifting Plate	Without	With
Compatible	CL30/CL40/CL50	CL30/CL40/CL50

51.Pole Grabber

Model	PG4000
Overall Length	1000mm
Overall Width	1100mm
Overall Height	750mm
Weight	400kg
Min. Grabbing Diameter	290mm
Max. Grabbing Diameter	490mm
Rotating Angle	360 Degree
Compatible	CL40/CL50

52.Bale Grabber A

Model	BGA2000
Overall Length	1400mm
Overall Width	1300mm
Overall Height	520mm
Max. Open Distance	1395mm
Min. Open Distance	100mm
Max. Grabbing Diameter	1280mm
Min. Grabbing Diameter	760mm
Compatible	CL40/CL50

53. Bale Grabber B


Model	BGB2000
Overall Length	1400mm
Overall Width	1000mm
Overall Height	770mm
Max. Open Distance	1800mm
Min. Open Distance	100mm
Max. Grabbing Diameter	1600mm
Min. Grabbing Diameter	860mm
Weight	229kg
Compatible	CL40/CL50

54. Ripper Bar**RB5000**

Model	RB5000
Overall Length	1450mm
Overall Width	485mm
Overall Height	425mm
Weight	181kg
Distance Between Teeth	350mm
Quantity of Teeth	5 PCS
Compatible	CL30/CL40/CL50

55. Front Trailer Hook Plate

Model	FTH2000
Hook Diameter (Ball)	2" ball
Weight	45kgs
Compatible	CL30/CL40/CL50


56. Euro VIII Quick Coupling Adapter

Model	QCAE8
Weight	269kg
Compatible	CL30/CL40/CL50

57. Bobcat Quick Coupling Adapter

Model	QCAB
Weight	269kg
Compatible	CL30/CL40/CL50

58.Rotary Saw



Model	RS2000
Max Blade diameter	600mm
Max Cutting Depth.	260mm
Oil Flow	60-90L/min
System Pressure	20Mpa
Weight	331kgs
Compatible	CL50

59.Trailer



DT1000



DT2000

Model	DT1000	DT2000
Carriage Size	1360*860*330mm	2500*1500*500mm
Overall dimension	1560*865*850mm	3800*1550*1700mm
Rated Load	750kg	1500kg
Tare weight	200kg	280kg
Brake	/	Air Brake
Matched power	12-25HP	12-25HP
Tipping form	Back Tipping	Back tipping
Compatible	CL30	CL40/CL50

60.High Pressure Washer



Model	HPW2000
Dimension(L*W*H)	1100*1250*1400mm
Max.Water Flow	30L/min
Max.Water Pressure	200Bar
Water Tank Volume	400L
Nozzle Bar Tuning	Manual
Adjustable Angle	40Degree(L & R)
Nozzles	6PCS
Water Hose Length	10M
Weight	100KGS
Compatible	CL40/CL50

61.Auger Bucket (Side Dumping Concrete Mixer)



Model	AB4000
Dimension(L*W*H)	1900*580*700mm
Capacity	0.26CBM
Weight	278kgs
Hydraulic Motor Displacement	245cc/r
Compatible	CL30/CL40/CL50

©2019 MCM Sales. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from MCM Sales. All references in this publication to operating weights, sizes, capacities and other performance measurements are provided for guidance only and may vary dependant upon the exact specification of machine. They should not therefore be relied upon in relation to suitability for a particular application. Guidance and advice should always be sought from your MCM dealer or MCM Rental Franchise. MCM reserves the right to change specifications without notice. Illustrations and specifications shown may include optional equipment and accessories. All images are correct at time of print.

THE FUTURE IS BUILT